Author Index

Andrew, A. S. P-T-X(CO_2) conditions in mafic and calc-silicate hornfelses from Oberon, New South Wales, Australia, 143
Archibald, N. J., *see* Bickle, M. J.

Baltatzis, E. G. & Katagas, C. G. The pumpellyite-actinolite and contiguous facies in part of the Phyllite–Quartzite Series, central Northern Peloponnesus, Greece, 349
Bickle, M. J. & Archibald, N. J. Chloritoid and staurolite stability: implications for metamorphism in the Archaean Yilgarn Block, Western Australia, 179
Bondi, M., *see* Morten, L.
Brown, M. Shear zone metamorphism: Introduction, 75
Burg, J. P., *see* Delor, C. P.

Condliffe, D. M., *see* Powell, R.
Condliffe, E., *see* Powell, R.

Delor, C. P., Burg, J. P. & Leyreloup, A. F. Staurolite producing reactions and geothermobarometry of a high pressure thermal aureole in the French Massif Central, 55
Dixon, J. E., *see* Ridley, J.

Evans, B. W., *see* Forbes, R. B.

Forbes, R. B., Evans, B. W. & Thurston, S. P. Regional progressive high-pressure metamorphism, Seward Peninsula, Alaska, 43

Garde, A. A., Glassley, W. E. & Nutman, A. P. Two-stage corona growth during Precambrian granulite facies metamorphism of Smithson Bjerge, north-west Greenland, 237
Gibbons, W. & Horak, J. Alpine metamorphism of Hercynian hornblende granodiorite beneath the blueschist facies *schistes lustrés* nappe of NE Corsica, 95
Glassley, W. E., *see* Garde, A. A.
Guo, Q. Topological relations in multisystems of more than $n+3$ phases, 267
Graham, C. M. & Powell, R. A garnet–hornblende geothermometer: calibration, testing, and application to the Pelona Schist, Southern California, 13

Hansen, E. C., Newton, R. C. & Janardhan, A. S. Fluid inclusions in rocks from the amphibolite-facies gneiss to charnockite progression in southern Karnataka, India: direct evidence concerning the fluids of granulite metamorphism, 249
Hoefs, J., *see* Lindh, A.
Horak, J., *see* Gibbons, W.

Janardhan, A. S., *see* Hansen, E. C.

Katagas, C. G., *see* Baltatzis, E. G.
Kneller, B. C. & Leslie, A. G. Amphibolite facies metamorphism in shear zones in the Buchan area of NE Scotland, 83
Kobayashi, H., *see* Watanabe, T.

Leslie, A. G., *see* Kneller, B. C.
Leyreloup, A. F., *see* Delor, C. P.
Lindh, A., Hoefs, J. & Malmström, L. Oxygen isotope ratios in magnetite core-and-mantle structures, 343

McCaig, A. M. Fluid-rock interaction in some shear zones from the Pyrenees, 129
Malmström, L., *see* Lindh, A.
Mason, R. Inverted isograds at Sulitjelma Norway: the result of shear-zone deformation, 77
Max, M. D., *see* Winchester, J. A.
Miyake, A. Phase equilibria in the hornblende-bearing basic gneisses of the Uvete area, central Kenya, 165
Morten, L. & Bondi, M. Disequilibrium in co-existing clinopyroxene and garnet from blueschist-facies Fe-rich eclogites, Voltri Group, Italy, 205

Newton, R. C., *see* Hansen, E. C.
Nutman, A. P., *see* Garde, A. A.

Powell, R., Condliffe, D. M. & Condliffe, E. Calcite–dolomite geothermometry in the system $CaCO_3$–$MgCO_3$–$FeCO_3$: an experimental study, 33
Powell, R., *see* Graham, C. M.

Rice, A. H. N. Metamorphic and structural diachroneity in the Finnmarkian nappes of north Norway, 219
Ridley, J. & Dixon, J. E. Reaction pathways during the progressive deformation of a blueschist metabasite: the role of chemical disequilibrium and restricted range equilibrium, 115

St-Onge, M. R. The muscovite-melt bathograd and low-P isograd suites in north-central Wopmay Orogen, Northwest Territories, Canada, 315
Schreurs, J. The amphibolite–granulite facies transition in West Uusimaa, S. W. Finland. A fluid inclusion study, 327
Stephenson, N. C. N. Two-pyroxene thermometry of Precambrian granulites from Cape Riche, Albany-Fraser Province, Western Australia, 297

Thurston, S. P., *see* Forbes, R. B.

Watanabe, T. & Kobayashi, H. Occurrence of lawsonite in pelitic schists from the Sanbagawa metamorphic belt, central Shikoku, Japan, 365
Winchester, J. A. & Max, M. D. Element mobility associated with syn-metamorphic shear zones near Scotchport, NW Mayo, Ireland, 1

Subject Index

activity diagram, 129
Alaska, 43
Albany-Fraser Province, 297
Alpine metamorphism, 95
amphibolite facies, 83
Archaean, 179
Australia, 297

bathograd, 315
blastomylonite, 1
blueschist facies, 43, 95
blueschist-facies eclogites, 205
blueschists, 115
Buchan area, 83

calcite, 33
calc-silicate hornfelses, 143
Caledonian, 83, 219
charnockite, 249
chemical zoning, 219
chloritoid, 179
closed nets, 267
combination principle, 267
contact metamorphism, 143
continental crust, 95
core-and-mantle structures, 343
coronas, 237
Corsica, 95
CO_2, 327
CO_2-streaming, 249
crossite, 95

Dalradian, 83
dolomite, 33
diachroneity, 219
disequilibrium, 205, 343
divariant-assemblage-characteristic-stability polygons, 267

eclogite, 115
element mobility, 1
epidote-almandine-glaucophane schist subfacies, 43
experimental petrology, 33

fluctuation in chemical activity, 237
fluid inclusions, 249, 327

garnet, 219
garnet isograd, 77
garnet-clinopyroxene pairs, 205
garnet-hornblende, 13
geochemistry, 1
geothermobarometry, 55, 237
geothermometer, 33
geothermometry, 13, 297
glaucophane, 115
granulite facies, 249, 297
granulite facies metamorphism, 237
granulites, 327

Greece, 115
greenschist facies, 349

high P metamorphism, 43
hornblende-bearing basic gneisses, 165
hydrous fluid, 129

inverted isograds, 77
inverted metamorphism, 13

Japan, 365

Karnataka, India, 249

lawsonite, 365
lawsonite-albite-chlorite facies, 349
lawsonite-crossite subfacies, 43

mafic hornfelses, 143
magnetite, 343
Massif Central, 55
melting reactions, 315
metamorphism, 179, 349
metasomatism, 1, 129
microthermometry, 249
Mozambique metamorphic belt, 165
multisystems, 267
muscovite breakdown, 315
mylonite, 129

New South Wales, 143
north Norway, 219
north-west Greenland, 237
Norway, 77
NW Mayo, 1

overprinting, 237
oxygen isotopes, 343

pelitic isograds, 315
pelitic schists, 365
Pelona Schists, 13
Peloponessus (Greece), 349
phase diagrams, 267
phase relations in amphibolites, 165
Phyllite-Quartzite series, 349
P-T-X(CO_2) conditions, 143
pumpellyite-actinolite facies, 349
pyroxenes, 297

reaction pathways, 115
regression, 13
retrogression, 129

Sanbagawa metamorphic belt, 365
Scotland, 83
Seward Peninsula, 43
shear zone, 1, 77, 95, 129
shear zone deformation, 115

shear zones, 83
staurolite, 179
staurolite producing reactions, 55
staurolite-kyanite zone, 165
Sulitjelma, 77
S. W. Finland, 327
synkinematic granitoids, 55

textures, 219
thermal aureoles, 55
thermodynamics, 33
topology, 267

Voltri Group, Italy, 205

Wopmay Orogen, Canada, 315

Yilgarn Block, Australia, 179